



# LTI 1.3 com PEP no Blackboard

Integração SSO

Guia de inicialização para  
administradores

# Índice

Introdução	3
Instruções Passo-a-Passo	4
Dados de SSO do Blackboard para registros	4
Passo 1 – Configurações da ferramenta	5
Passo 2 – Registre a ferramenta no Blackboard	9
Passo 3 – Crie várias implantações no LTI 1.3 e vincule-as a nós da hierarquia institucional.	13
Passo 4 – Crie um curso no Blackboard	25
Passo 5 – Configuração do Curso – adicionando conteúdo em um curso.	26
Contate o suporte	28

# Introdução

Este guia ajudará os administradores a configurar a integração SSO entre o **Blackboard** e o **Pearson English Portal (PEP)** usando **LTI 1.3** em um ambiente de teste.

Caso tenha mais alguma dúvida ou precise de assistência adicional, [contate Pearson](#)

Após a conclusão dos testes de integração no ambiente de teste, o parceiro deverá obter a configuração de produção, que identifica a ferramenta, junto à equipe da Pearson.

## Pré-requisitos

1. **Acesso de Administrador Blackboard:** Certifique-se de ter acesso de administrador ao Blackboard LMS.
2. **Credenciais PEP:** Use as credenciais necessárias da Pearson para a integração LTI 1.3.

# Instruções Passo-a-Passo

## Dados de SSO do Blackboard para registros

Campo	Configuração para pré-produção
Domínio:	<a href="https://stg.gps.ift.pearson-intl.com">https://stg.gps.ift.pearson-intl.com</a>
URL de redirecionamento	<a href="https://stg.gps.ift.pearson-intl.com/lmsintegration/v1/lti1p3/core/launch">https://stg.gps.ift.pearson-intl.com/lmsintegration/v1/lti1p3/core/launch</a>
URL do link de destino	<a href="https://stg.gps.ift.pearson-intl.com/lmsintegration/v1/lti1p3/core/launch">https://stg.gps.ift.pearson-intl.com/lmsintegration/v1/lti1p3/core/launch</a>
URL de iniciação do OpenID Connect	<a href="https://stg.gps.ift.pearson-intl.com/lmsintegration/v1/lti1p3/core/login">https://stg.gps.ift.pearson-intl.com/lmsintegration/v1/lti1p3/core/login</a>
URL do conjunto de chaves (URL JWK pública)	<a href="https://stg.gps.ift.pearson-intl.com/lmsintegration/v1/gli/authorization/jwks">https://stg.gps.ift.pearson-intl.com/lmsintegration/v1/gli/authorization/jwks</a>
Campo	Configuração para produção
Domínio	<a href="https://gps.ift.pearson-intl.com">https://gps.ift.pearson-intl.com</a>
URL de redirecionamento	<a href="https://gps.ift.pearson-intl.com/lmsintegration/v1/lti1p3/core/launch">https://gps.ift.pearson-intl.com/lmsintegration/v1/lti1p3/core/launch</a>
URL do link de destino	<a href="https://gps.ift.pearson-intl.com/lmsintegration/v1/lti1p3/core/launch">https://gps.ift.pearson-intl.com/lmsintegration/v1/lti1p3/core/launch</a>
URL de iniciação do OpenID Connect	<a href="https://gps.ift.pearson-intl.com/lmsintegration/v1/lti1p3/core/login">https://gps.ift.pearson-intl.com/lmsintegration/v1/lti1p3/core/login</a>
URL do conjunto de chaves (URL JWK pública)	<a href="https://gps.ift.pearson-intl.com/lmsintegration/v1/gli/authorization/jwks">https://gps.ift.pearson-intl.com/lmsintegration/v1/gli/authorization/jwks</a>

## Passo 1 – Configurações da ferramenta

1. Crie uma conta ou utilize suas credenciais existentes para fazer login:  
<https://developer.anthology.com/>
2. Registre sua candidatura:
  - A. Na aba "MyApplications", clique no ícone +.
  - B. Selecione "Manual Registration"

My Applications

My Applications | My Site Registrations

You may edit an application. You can view the Schools using your application. You may also request your Application Key. Finally, you may also delete your application.

Indicates Group has Premium API access.

Name	Description	Application ID	Group
ELL PROD Test	ELL PROD Test	ac3aeecb-9cbf-47a8-b1be-2b0f4e934327	VIPINDAS PALLI

- C. Insira o nome, a descrição e o domínio do seu aplicativo (fornecidos na página de dados para registro deste guia): stg.gps.ift.pearson-intl.com  
Observação: o campo **Domínio** pode conter apenas letras, números e pontuação simples.

## Register a new application

Enter your applications name and description. Users see this information when adding the application to their environment. Include a version number if there are multiple versions of the application.

\* Application Name  
orange

\* Description 450 character limit  
a dynamic application that delivers LMS content

\* Domain(s) Separate domains with commas  
stg.gps.ift.pearson-intl.com

Group  
VIPINDAS PALLI

My Integration supports LTI 1.3

Cancel Register Application

D. Alterne para a aba ao lado de "My Integration supports LTI 1.3".

E. Preencha as informações necessárias, fornecidas na página de dados para registro deste guia: URL de inicialização de login, URL(s) de redirecionamento da ferramenta (separadas por vírgulas) e URL JWKS da ferramenta.

F. Clique em "Register Application".

My Integration supports LTI 1.3

Login Initiation URL  
https://stg.gps.ift.pearson-intl.com/lmsintegration/v1/lti1p3/core/login

Tool Redirect URL(s) Separate URLs with commas  
https://stg.gps.ift.pearson-intl.com/lmsintegration/v1/lti1p3/core/deeplink,https://stg.gps.ift.pearson-intl.com/lmsintegration/v1/lti1p3/core/

Tool JWKS URL For a tool's public key access  
https://stg.gps.ift.pearson-intl.com/lmsintegration/v1/gli/authorization/jwks

Signing Algorithm  
RS256

Custom Parameters

Cancel Register Application

3. Você verá uma tela com as informações principais sobre sua inscrição. Copie e salve as informações, pois você precisará fornecê-las ao representante de suporte da Pearson para fins de configuração.

Key

**Important note!**  
The secret is only shown once. Make note of the application key and secret and store them in a safe and secure location.

Application key	d969f3ca-c129-4b8d-a0e7-69b0fced1534	Copy
Secret	U3Qo8861pCRwh8W06g8CPTFbW8HMJcaA	Copy
Application ID	001c9871-84f7-4682-847d-7fb829581b64	Copy
Issuer	https://blackboard.com	Copy
Public keyset URL	https://developer.anthology.com/.well-known/jwks.json	Copy
Auth token endpoint	https://developer.anthology.com/api/v1/gateway/oauth2/jwttoken	Copy
OIDC auth request endpoint	https://developer.anthology.com/api/v1/gateway/oidcauth	Copy

Done

4. Ao lado do aplicativo recém-criado, clique no ícone de opções "... " e selecione **Manage Placements**.

**My Applications** | My Site Registrations +

You may edit an application. You can view the Schools using your application. You may also request your Application Key. Finally, you may also delete your application.

 Indicates Group has Premium API access.

Name	Description	Application ID	Group	
ELL PROD Test	ELL PROD Test	ac3aeecb-9cbf-47a8-b1be-2b0f4e934327	VIPINDAS PALLI	...
orange	A Dynamic application that deliver LMS content	74635908-13e8-4b56-90cc-2d5f58413cc8	VIPIND	<div style="border: 1px solid #ccc; padding: 5px;"><ul style="list-style-type: none"><li>Edit</li><li>Delete</li><li>Manage Keys</li><li style="border: 2px solid #008000; padding: 2px;">Manage Placements</li><li>What Schools</li><li>Dashboard</li></ul></div>

4

5. Clique em **"Register"**.



You don't have any placements registered yet.

No problem! Select the below "Register" button and register a placement!  
After you register a placement, you can manage that placement and register additional placements from this page.

Cancel **Register** 5

6. Insira as informações da sua colocação:

A. **Placement name** – SSO.

Observação: a descrição é um campo opcional.

B. Em "**Type**", Selecione **Course tool** na lista suspensa.

C. Marque as opções: "**Allow student access**" e "**Launch in new window**".

D. Insira o **Target link URL** ([fornecido na página de dados para registro deste guia](#)). Observação: opcionalmente, você pode adicionar o URL do ícone. Atualmente, não há parâmetros personalizados disponíveis.

E. Clique em **Register placement**.


The screenshot shows a web interface for registering a new placement. At the top, there are navigation links: 'Applications', 'My Groups', and 'Explore APIs'. The main heading is 'Register a new placement'. The form contains several fields and options:

- Placement Name:** A text input field containing 'SSO - ELL STG', marked with a green callout 'A'.
- Description:** A text input field containing 'SSO - ELL STG', with a note 'Limit placement description to 1000 characters' on the right.
- Type:** A dropdown menu with 'Course tool' selected, marked with a green callout 'B'.
- Options:** Two checkboxes are checked: 'Allow students access' and 'Launch in new window', marked with a green callout 'C'.
- Target link URI:** A text input field containing 'https://stg.gps.ift.pearson-intl.com/lmsintegration/v1/lti1p3/core/launch', marked with a green callout 'D'.
- Icon URL:** An empty text input field.
- Custom Parameters:** An empty text input field.
- Buttons:** 'Cancel' and 'Register placement' buttons at the bottom, with the 'Register placement' button marked with a green callout 'E'.


7. Após criar a vaga, copie o seu ID de inscrição, pois você precisará dele na próxima etapa.

## Passo 2 – Registre a ferramenta no Blackboard.


1. Faça login no Blackboard com suas credenciais de administrador.
2. Acesse a aba Admin.



3. Em "**Administrator Tools**", clique no link **LTI Tool Providers** em **Integrações**.




4. Clique em **Register LTI 1.3/ Advantage Tool**.




5. Insira o ID do cliente (seu ID de aplicativo salvo na **etapa 7**).

6. Clique em "**Submit**".



7. Copie o ID de Implantação, que você precisará fornecer ao representante de suporte da Pearson para fins de implantação.

Você também pode acessar o ID de implantação selecionando a opção "**Edit**" ao lado do nome da sua ferramenta.



<input type="checkbox"/>	lti.alway	1.1	Approved	Site	No	No	1
<input type="checkbox"/>	lti.bnco	1.1	Approved	Site	Role, Name, Email	No	1
<input type="checkbox"/>	Microso Schedu	1.3	Approved	RS256	Role, Name, Email	No	1
<input checked="" type="checkbox"/>	orange	LTI 1.3 Tool	Approved	RS256	Role, Name, Email	No	2

### Modify LTI 1.3 Tool: orange

#### TOOL STATUS

*The following fields are read-only, but you can toggle the status of this tool*

Client ID

Name

Description

Default Deployment ID


Initiate Login URL

Tool Redirect URLs

JWKS URL


Observação: você também pode criar uma vaga diretamente no Blackboard.

Para isso, acesse a opção "**Manage Placements**" e clique no link "**Create Placement**".



The screenshot shows a table with several rows. A context menu is open over the first row, with the 'Manage Placements' option highlighted. The table columns include checkboxes, tool names, status, type, role, and counts.

Tool Name	Status	Type	Role, Name, Email	Count 1	Count 2	Count 3	Count 4
lti.alwa	Approved	Site	No	1	1		No
lti.bnco	Approved	Site	Role, Name, Email	1	22		No
Microsc Schedu	Approved	RS256	Role, Name, Email	1	0	0	No
orange	Approved	RS256	Role, Name, Email	2	18	1	No



The screenshot shows the 'Manage Placements' page for 'stg.gps.ift.pearson-intl.com'. It includes a 'Create Placement' button and a table of existing placements.

**Administrator Panel** | LTI Tool Providers | Manage Placements: stg.gps.ift.pearson-intl.com

### Manage Placements: stg.gps.ift.pearson-intl.com

Create, Edit, or Delete a Tool Provider Placement. Deleting a Tool Provider Placement will not delete any content associated with it. Links to the placement will no longer function

[Create Placement](#) [Synchronize Placements](#)

NAME	TYPE	URL
deeplink	Deep Linking content tool	https://stg.gps.ift.pearson-intl.com/lmsintegration/v1/lti1p3/core/deeplink
SSO - ELL STG	Course tool	https://stg.gps.ift.pearson-intl.com/lmsintegration/v1/lti1p3/core/launch

Displaying 1 to 2 of 2 items | [Show All](#) | [Edit Paging...](#)

### **Passo 3 – Crie várias implantações no LTI 1.3 e vincule-as a nós da hierarquia institucional.**

O Blackboard usa nós da Hierarquia Institucional para decidir qual ID de Implantação usar para um curso. Sem nós de hierarquia, o Blackboard não tem como diferenciar as implantações, então ele sempre usa a implantação padrão.

Como o Blackboard escolhe um ID de Implantação:

Curso

↓

A qual nó da Hierarquia Institucional o curso pertence?

↓

Existe um ID de Implantação atribuído a esse nó?

↓

SIM → Usar esse ID de Implantação

NÃO → Usar o ID de Implantação Primário (raiz)

## A. Crie um novo nó de hierarquia.

1. Clique em "**Admin**" para abrir "**Administrator Tools**".
2. Acesse a categoria "**Communities**" e seleccione "**Institutional Hierarchy**".

**Blackboard**  
Administrator Tools

Leszek Rozniako...  
Institution Page  
Activity  
Courses  
Calendar  
Messages  
Grades  
Tools  
**Admin** 1  
Sign Out  
Privacy • Terms • Accessibility

**Administrator Panel**  
Blackboard Learn+ | Release 4000.6.0-rel.18+e230fa0

**Users**  
Users  
Customize User Information  
Institution Roles  
System Roles  
Course/Organization Roles

**Courses**  
Courses  
Course Settings  
Course Catalog  
Move Files to Course Files  
Terms

**Organizations**  
Organizations  
Organization Settings  
Organization Catalog  
Move Files to Organization Files

**Communities** 2  
Institutional Hierarchy  
Tabs and Modules

**The Ultra experience is here!**  
Configure  
Learn more at Blackboard Help.

**Security**  
Privileges  
Session Fingerprint Settings  
Gateway Options  
Hostname Configuration  
Alternate Domain for Serving Content  
Safe HTML Filters  
Account Lock Settings  
Input Validation Filter  
Password Settings

**Integrations**  
Data Integration  
Authentication  
Building Blocks  
Web Services  
LTI Tool Providers  
Respondus Proctoring Integration  
Cross-Origin Resource Sharing  
REST API Integrations

**Tools and Utilities**  
Achievements (Original)


**Help**  
Blackboard Help for Administrators  
Anthology Support Center™  
On Demand  
Blackboard Developer Network

**Cloud Management**  
Cloud Connector  
Platform Extensions  
Partner Cloud Settings


**Software Updates**

**Blackboard**  
Products: Course Delivery, Community Engagement, Content Management  
Login: Leszek Rozniakowski (leszek.rozniakowski@pearson.com)  
Theme: Bb Learn 2016


3. Você verá a aba **Children**. Clique no link **Create Node**.



4. Insira o **Node Name**.
5. Você pode alterar o "**Identifíer**", se necessário; caso contrário, o sistema usará um gerado automaticamente.
6. Clique em "**Submit**".



7. Você verá o nó recém-criado e os nós na hierarquia de um curso na visualização em árvore (veja o **passo A** na imagem abaixo).



8. Repita o processo de criação do nó para refletir a estrutura da sua instituição (8 subnós para 8 produtos).

### Exemplo de estrutura:

Blackboard, INC (Raiz)

├─ Produtos (Nó pai)

├─ Produto 1

├─ Produto 2

├─ Produto 3

├─ Produto 4

├─ Produto 5


├─ Produto 6

├─ Produto 7

├─ Produto 8

## B. Atribuir cursos aos nós da hierarquia.

1. Acesse o "**Admin panel**".
2. Acesse a categoria "**Courses**" e clique no link "**Courses**".



3. Pesquise seu curso usando o nome ou o ID do curso.
4. Passe o cursor sobre o ID do seu curso e clique no menu de opções ao lado.
5. Clique em **Edit**.

# Administrator Tools

Administrator Panel Courses

## Courses

Create Course ▾ Enroll Users Backup Actions ▾

Search: Course Name ▾ Contains ▾ PEP STG2 new AND Date Created Before ▾ 01/20/2026 In All Courses

STATUS	COURSE ID	COURSE NAME	DATE CREATED	COURSE VIEW
<input checked="" type="checkbox"/>	PEP_STG2_ND	PEP STG2 new deployment	8/29/25 4:12 AM	Original

- Open
- Edit
- Enrollments
- Reports
- Categorize
- Goals Association
- Quotas
- Template Options
- Make Unavailable
- Mark as Complete
- Export/Archive
- Bulk Delete
- Copy
- Delete
- Disable
- Modify Data Source

6. Clique em "**Find Node**" (em Nós da Hierarquia Institucional).

CATEGORIES

Items to Select Selected Items  
DEMO (MIS FDOC)

Invert Selection Select All Invert Selection Select All

INSTITUTIONAL HIERARCHY NODES

Select Find Node to search for the nodes you would like to add this course to.

Add Node  6

Nodes Added:

Name	Primary Node	
PEP Blackboard SSO v3	<input type="radio"/>	<input type="button" value="Remove Node"/>
SSO test for ELL1	<input checked="" type="radio"/>	<input type="button" value="Remove Node"/>

BANNER

In Original Course View courses, the banner displays at the top of the course's entry point page. In Ultra Course View courses, it displays at the top of the Course Content Page.

Current Banner Image No Banner Image

New Banner Image  Select an image 1200 x 240 pixels or larger

Delete the Current Banner

Click: Submit to proceed.

7. Localize o nó criado anteriormente e clique em "**Go**".

8. Selecione um nó.

Você também pode selecionar todos os nós da lista para vinculá-los de uma só vez **[consulte a etapa A]**.

9. Clique em "**Submit**".

Nodes

Search for and select nodes you would like to add this course to. If you don't see the nodes you are looking for, contact your System Administrator for additional permissions.

Search Name Starts with Product Go 7

<input checked="" type="checkbox"/>	NAME	DESCRIPTION	PARENT NODE	IDENTIFIER
<input checked="" type="checkbox"/>	Product1		Blackboard, Inc.	75edbacc-05d8-4466-a962-5cbec63a1453
<input checked="" type="checkbox"/>	Product2		Blackboard, Inc.	4ba34fd5-a8dc-4196-89e0-a4fe18c231ef

Displaying 1 to 2 of 2 items

Show All

Edit Paging...

9

A

10. Revise a hierarquia de nós criada e clique em **"Submit"**.

**Observação:** antes de enviar as alterações, você também pode remover o nó **[consulte a etapa B]**. Você pode visualizar e alterar o nó primário **[consulte a etapa C]**.

**INSTITUTIONAL HIERARCHY NODES**

Select Find Node to search for the nodes you would like to add this course to.

Add Node

Nodes Added:

Name	Primary Node	
PEP Blackboard SSO v3	<input type="radio"/>	<input type="button" value="Remove Node"/>
SSO test for ELL1	<input checked="" type="radio"/> <b>C</b>	<input type="button" value="Remove Node"/>
Product1	<input type="radio"/>	<input type="button" value="Remove Node"/> <b>B</b>
Product2	<input type="radio"/>	<input type="button" value="Remove Node"/>

**BANNER**

In Original Course View courses, the banner displays at the top of the course's entry point page. In Ultra Course View courses, it displays at the top of the Course Content Page.

Current Banner Image No Banner Image

New Banner Image  Select an image 1200 x 240 pixels or larger

Click **Submit** to proceed.

10

11. Você verá o banner de confirmação.

**Administrator Tools**

Administrator Panel Courses

Success: Course PEP STG2 new deployment edited.

Courses

Create Course ▾ Enroll Users Backup Actions ▾ Import Package Copy Course

Search: Course Name ▾ Contains ▾ PEP STG2 new AND Date Created Before ▾ 01/20/2026 In All Courses ▾ Go

	STATUS	COURSE ID	COURSE NAME	DATE CREATED	COURSE VIEW	INSTRUCTOR USERNAME	INSTRUCTOR NAME	DATA SOURCE KEY
<input type="checkbox"/>		PEP_STG2_ND	PEP STG2 new deployment	8/29/25 4:12 AM	Original	leszek.r@pearson.co...	Leszek Rozr	SYSTEM


Displaying 1 to 1 of 1 items

Após a conclusão da implantação da ferramenta, você poderá criar um curso e adicionar conteúdo a ele.


### C. Vincular nós da hierarquia às implantações do LTI 1.3.

Depois que os nós existirem:

1. Acesse "**Administrator Tools**".
2. Acesse a categoria "**Integrations**".
3. Clique no link "**LTI Tool Providers**".



4. Selecione Ferramenta e abra o menu de opções.
5. Clique em "**Manage Deployments**".



6. Clique em **Create Deployment**

Administrator Panel LTI Tool Providers Manage Deployments

## Manage Deployments

LTI Tool Provider: orange  
Default deployment ID: ab8e4531-d08d-432e-a6e6-f2ff944ca21c

Create Deployment **6**

NAME 	DEPLOYMENT ID	DESCRIPTION	NODES	STATUS
demodeployment	53279ee0-b9d9-4517-8e9f-354272d9aff9		1	Approved
final2	9dd6e78f-cd02-4c4f-881c-02de1b128901		1	Approved
finalcut1	70b2d06d-4742-490f-8dbb-6e3d5193e565		1	Approved
Pearson ELL STG Deployment test - node1	3933c872-e8f2-4ddb-86a5-4e346ad6a6b9		1	Approved
Pearson ELL STG Deployment test - node2	9a26e7ef-e100-47a8-8013-c222529253bc		1	Approved
Pearson ELL STG Deployment test - node3	f66609fd-d290-4ad1-a55f-6e83148edac1		1	Approved

Displaying 1 to 7 of 7 items Show All Edit Paging...

### 7. Insira o nome da implantação.

Administrator Panel LTI Tool Providers Manage Deployments Create Deployment

## Create Deployment

**Node and Deployment ID**  
If a course is associated with a primary node, when opening an LTI-type content, the deployment linked to that primary node will be associated to the content. Be advised you need to click submit to reflect changes.

\* Indicates a required field.

### DEPLOYMENT ID INFORMATION

\* Name **7**

Description  
For the toolbar, press ALT+F10 (PC) or ALT+FN+F10 (Mac).

ABC 

P

0 WORDS POWERED BY TINY

### 8. O status da ferramenta de implantação deve ser **Approved**.

9. Clique em **Find Node** para atribuir o Nó da Hierarquia.

Deployment ID  
  
*The deployment ID automatically appears after selecting Submit.*

Deployment Tool Status  
 Approved **8**  
 Excluded

---

**INSTITUTIONAL HIERARCHY NODES**

*Select Find Node to associate a node with a deployment ID. You can only add nodes that are not already assigned to other deployments.*

Add Node  
 **9**

---

*Click **Submit** to proceed.*

10. Procure o nó criado anteriormente e clique em **"Go"**.

11. Selecione um nó.

Você também pode selecionar todos os nós da lista para vinculá-los de uma só vez [**consulte a etapa A**].

12. Clique em **"Submit"**.

**Nodes**  
*Search for and select nodes you would like to add this course to. If you don't see the nodes you are looking for, contact your System Administrator for additional permissions.*

**A**  Name  Product  **10**

<input checked="" type="checkbox"/>	NAME <input type="text"/>	DESCRIPTION	PARENT NODE	IDENTIFIER
<input checked="" type="checkbox"/>	Product1		Blackboard, Inc.	75edbacc-05d8-4466-a962-5cbec63a1453
<input checked="" type="checkbox"/>	Product2		Blackboard, Inc.	4ba34fd5-a8dc-4196-89e0-a4fe18c231ef

**11** Displaying 1 to 2 of 2 items

**12**

13. Verifique se o nó da hierarquia está correto e clique em "Submit".

### INSTITUTIONAL HIERARCHY NODES

Select Find Node to associate a node with a deployment ID. You can only add nodes that are not already assigned to other deployments.

Add Node

Find Node

Nodes Added:

Name	
Product1	<a href="#">Remove Node</a>
Product2	<a href="#">Remove Node</a>

Click **Submit** to proceed.

Cancel **Submit**



14. Você verá o banner de confirmação com o ID da nova implantação.

## Administrator Tools

Administrator Panel LTI Tool Providers Manage Deployments

Successfully created. Deployment ID: eed79195-fb68-49de-a535-38d412ec38c5

### Manage Deployments

LTI Tool Provider: orange  
Default deployment ID: ab8e4531-d08d-432e-a6e6-f2ff944ca21c

Create Deployment


NAME	DEPLOYMENT ID	DESCRIPTION	NODES	STATUS
demodeployment	53279ee0-b9d9-4517-8e9f-354272d9aff9		1	Approved
final2	9dd6e78f-cd02-4c4f-881c-02de1b128901		1	Approved
finalcut1	70b2d06d-4742-490f-8dbb-6e3d5193e565		1	Approved
Instruction purpose deployment	eed79195-fb68-49de-a535-38d412ec38c5		2	Approved
Pearson ELL STG Deployment test - node1	3933c872-e8f2-4ddb-86a5-4e346ad6a6b9		1	Approved
Pearson ELL STG Deployment test - node2	9a26e7ef-e100-47a8-8013-c222529253bc		1	Approved
Pearson ELL STG Deployment test - node3	f66609fd-d290-4ad1-a55f-6e83148edac1		1	Approved

Displaying 1 to 7 of 7 items [Show All](#) [Edit Paging...](#)


## Passo 4 – Criando um curso no Blackboard

Para criar um curso:

1. No painel de administração, acesse a aba "**Courses**".
2. Clique em "**Courses**".



3. Clique em "**Create Course**".
4. Selecione a opção "**New**".




5. Cada novo curso que você criar deve ter um **Course Name** e um **Course ID**.


## Passo 5 – Configuração do curso – adicionando conteúdo a um curso

Para criar um link SSO, siga os passos abaixo:

1. Acesse a aba "**Courses**" e abra um curso clicando em seu nome.



2. Selecione a aba "**Content**".





8. Clique em "**Submit**" para salvar as alterações.

**OPTIONS**

Available  
 Yes  No

Track Number of Views  
 Yes  No

Date Restrictions

Display After    

*Enter dates as mm/dd/yyyy. Time may be entered in any increment.*

Display Until    

*Enter dates as mm/dd/yyyy. Time may be entered in any increment.*

---

*Click **Submit** to proceed.*

Cancel **Submit**



## Contate o suporte

Caso precise de assistência adicional, entre em contato com a Equipe de Suporte da Pearson através do seguinte endereço: <https://support.pearson.com/languages/s/contactsupport>